

List of pages in this Trip Kit

Trip Kit Index

Airport Information For UBBY

Terminal Charts For UBBY

Revision Letter For Cycle 05-2025

Change Notices

Notebook

General Information

Location: ZAGATALA AZE
ICAO/IATA: UBBY / ZTU
Lat/Long: N41° 33.50', E046° 40.17'
Elevation: 1281 ft

Airport Use: Public
Daylight Savings: Not Observed
UTC Conversion: -4:00 = UTC
Magnetic Variation: 7.0° E

Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0128 Z
Sunset: 1613 Z


Runway Information


Runway: 15
Length x Width: 9843 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 1255 ft
Lighting: Edge
Stopway: 197 ft

Runway: 33
Length x Width: 9843 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 1281 ft
Lighting: Edge, ALS
Stopway: 197 ft

Communication Information


ATIS: 127.025
Zagatala Tower: 125.200
Zagatala Tower: 118.500
Ganja Approach: 123.900





UBBY/ZTU
Apt Elev 1281'
N41 33.6 E046 40.2

JEPPESSEN ZAGATALA, AZERBAIJAN
23 DEC 22 10-9 Eff 29 Dec
ZAGATALA



ADDITIONAL RUNWAY INFORMATION							
RWY					USABLE LENGTHS		WIDTH
					LANDING BEYOND	TAKE-OFF	
					Threshold	Glide Slope	
15	HIRL (60m) RVR						148' 45m
33	HIRL (60m) HIALS PAPI-L (angle 3.0°) RVR					8810'2685m	

START-UP PROCEDURE

The parking position, QNH value and designator of latest received ATIS broadcast shall be reported in the initial call.

TAKE-OFF			
RL & RCLM	RL	RL or RCLM	Adequate Vis Ref
DAY	NIGHT	DAY	NIGHT
R300m		R400m	R/V500m NA

UBBY/ZTU



5 APR 24

10-9S Eff 18 Apr

EASA AIR OPS

ZAGATALA, AZERBAIJAN
ZAGATALA

STRAIGHT-IN RWY		A	B	C	D
33	ILS	1477'(200') ① R550m R1200m	1484'(207') ① R550m R1200m	1492'(215') ① R550m R1200m	1502'(225') ① R550m R1200m
	ALS out				
	RNP LNAV/VNAV	1540'(263') ① R600m R1300m	1542'(265') ① R600m R1300m	1543'(266') ① R600m R1300m	1545'(268') ① R600m R1300m
	ALS out				
	② RNP LNAV	1630'(353') R900m R1500m	1630'(353') R900m R1500m	1630'(353') R900m R1600m	1650'(373') R1000m R1700m
	ALS out				
	② VOR DME	1630'(353') R900m R1500m	1630'(353') R900m R1500m	1630'(353') R900m R1600m	1630'(353') R900m R1600m
	ALS out				

① R750m when a Flight Director or Autopilot or HUDLS to DA is not used.

② Continuous Descent Final Approach.

CIRCLE-TO-LAND ③	100 KT	135 KT	180 KT	205 KT
	1740'(459') V1500m	1790'(509') V1600m	2170'(889') V2400m	3140'(1859') V3600m


③ Not authorized North and East of Rwy.

TAKE-OFF					
Low Visibility Take-off		RL or RCLM	RL	Adequate Vis Ref	
RL & RCLM	RL				
DAY	NIGHT	DAY	NIGHT	DAY	NIGHT
R300m		R/V400m		R/V500m	NA

UBBY/ZTU
ZAGATALA

JEPPESSEN
25 OCT 24 **11-1** Eff 31 Oct


ZAGATALA, AZERBAIJAN
● ILS DME Rwy 33



UBBY/ZTU
ZAGATALA

JEPPESSEN
25 OCT 24 12-1 Eff 31 Oct

ZAGATALA, AZERBAIJAN
MISSED APCH CLIMB
GRADIENT MIN 5.0%
RNP Rwy 33



UBBY/ZTU
ZAGATALA

JEPPESSEN
25 OCT 24 **(13-1)** **Eff 31 Oct**

ZAGATALA, AZERBAIJAN
VOR DME Rwy 33




Chart changes since cycle 04-2025

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
ZAGATALA, (ZAGATALA - UBBY)				

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport UBBY