

List of pages in this Trip Kit

Trip Kit Index

Airport Information For DNAA

Terminal Charts For DNAA

Revision Letter For Cycle 22-2020

Change Notices

Notebook

General Information

Location: ABUJA NGA
ICAO/IATA: DNAA / ABV
Lat/Long: N09° 00.4', E007° 15.8'
Elevation: 1122 ft

Airport Use: Public
Daylight Savings: Not Observed
UTC Conversion: -1:00 = UTC
Magnetic Variation: 2.0° W

Fuel Types: Jet A-1
Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: Yes

Sunrise: 0526 Z
Sunset: 1707 Z

Runway Information

Runway: 04
Length x Width: 11844 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 1087 ft
Lighting: Edge, ALS


Runway: 22
Length x Width: 11844 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 1122 ft
Lighting: Edge, ALS


Communication Information

ATIS: 127.050
Abuja Tower: 118.600
Abuja Ground: 118.900 Secondary
Abuja Ground: 121.900
Abuja Approach: 119.800
Abuja Radar: 127.900



© JEPPESEN, 2020. ALL RIGHTS RESERVED






DNAA/ABV

Apt Elev **1122'**
N09 00.4 E007 15.8

JEPPesen

15 MAY 20 **(10-9)** Eff 21 May

ABUJA, NIGERIA
NNAMDI AZIKIWE INTL

ADDITIONAL RUNWAY INFORMATION

RWY		USABLE LENGTHS			
		LANDING BEYOND		TAKE-OFF	WIDTH
		Threshold	Glide Slope		
04 1 22	RL CL HIALS-II TDZ PAPI (angle 3.0°)		10,666' 3251m 10,689' 3258m		148' 45m

1 Blast pads 213'/65m at both runway ends.

Standard
TAKE-OFF

	Low Visibility Take-off			
	RL & CL	Day: RL & RCLM Night: RL or CL	Day: RL or RCLM Night: RL or CL	Adequate vis ref (Day only)
A				
B				
C	RVR 200m	RVR 300m	400m	500m
D				

CHANGES: Twy B4 added. Lighting.



© JEPPESEN, 1999, 2020. ALL RIGHTS RESERVED.

DNAA/ABV
NNAMDI AZIKIWE INTL

JEPPESSEN
15 MAY 20
Eff 21 May **(11-1)**

ABUJA, NIGERIA
VOR DME ILS Rwy 04

BRIEFING STRIP TM	ATIS 127.05		ABUJA Approach (R) 127.9 119.8		ABUJA Tower 118.6		*Ground 121.9		
	LOC IAC 111.9	Final Apch Crs 037°	D6.8 IAC 3300' (2213')		ILS DA(H) Refer to Minimums	Apt Elev 1122' Rwy 1087'	5000 MSA ABC VOR		
	MISSED APCH: Climb on R-037 ABC to 3500', then turn LEFT and join holding at 5000', or as directed.								
	Alt Set: hPa		Rwy Elev: 39 hPa		Trans level: FL 65				Trans alt: 5000'
	ILS DME position unknown, ILS DME reads zero at rwy 04 threshold.								



Gnd speed-Kts	70	90	100	120	140	160	HIALS-II PAPI PAPI 3500' ABC on 116.3 R-037
ILS GS or LOC Descent Angle 3.00°	372	478	531	637	743	849	
MAP at D0.0 IAC/D3.3 ABC							

Standard STRAIGHT-IN LANDING RWY 04 Missed apch climb gradient mim 3.5%				CIRCLE-TO-LAND			
ILS DA(H) A: 1337' (250') C: 1357' (270') B: 1347' (260') D: 1367' (280')		LOC (GS out) CDFA DA/MDA(H) 2170' (1083')		Max Kts		MDA(H) VIS	
FULL	TDZ or CL out	ALS out	ALS out	100	1750' (628')	1500m	
A	RVR 550m	RVR 550m 1	RVR 1300m		135	2260' (1138')	1600m
B	RVR 600m	RVR 600m 1			180	2490' (1368')	2400m
C	RVR 600m	RVR 600m 1			205	2490' (1368')	3600m
D	RVR 750m						



1 RVR 750m when a Flight Director or Autopilot or HUD to DA is not used.
2 or higher straight-in minimums.

DNAA/ABV
NNAMDI AZIKIWE INTL

JEPPESSEN
15 MAY 20
Eff 21 May

ABUJA, NIGERIA
CAT II VOR DME ILS Rwy 04

ATIS 127.05		ABUJA Approach (R) 127.9 119.8		ABUJA Tower 118.6		*Ground 121.9			
LOC IAC 111.9	Final Apch Crs 037°	D6.8 IAC 3300' (2213')		CAT II ILS DA(H) Refer to Minimums	Apt Elev 1122' Rwy 1087'	5000 MSA ABC VOR			
MISSED APCH: Climb on R-037 ABC to 3500', then turn LEFT and join holding at 5000', or as directed.									
Alt Set: hPa		Rwy Elev: 39 hPa		Trans level: FL 65				Trans alt: 5000'	
Special Aircrew & Aircraft Certification Required.									



Gnd speed-Kts	70	90	100	120	140	160	HIALS-II PAPI PAPI	3500' on R-037 ABC 116.3
GS	3.00°	372	478	531	637	743		

Standard STRAIGHT-IN LANDING RWY 04 CAT II ILS Missed apch climb gradient mim 3.5%			
A	B	C	D
DA(H) 1187' (100')	DA(H) 1197' (110')	DA(H) 1207' (120')	DA(H) 1227' (140')
RVR 300m		RVR 400m	



DNAA/ABV
NNAMDI AZIKIWE INTL

JEPPESEN
15 MAY 20
Eff 21 May (11-2)

ABUJA, NIGERIA
VOR DME ILS Rwy 22

BRIEFING STRIP™

ATIS 127.05		ABUJA Approach (R) 127.9 119.8		ABUJA Tower 118.6		*Ground 121.9			
LOC IAB 109.3	Final Apch Crs 217°	D6.4 IAB 3200' (2078')		ILS DA(H) Refer to Minimums	Apt Elev 1122' Rwy 1122'	5000 MSA ABC VOR			
MISSED APCH: Climb on track 217° to 2500', then turn RIGHT and join holding at 5000', or as directed.									
Alt Set: hPa		Rwy Elev: 40 hPa		Trans level: FL 65				Trans alt: 5000'	
ILS DME reads zero at rwy 22 threshold.									



Gnd speed-Kts	70	90	100	120	140	160	HIALS-II PAPI 2500' on 217°
ILS GS or LOC Descent Angle 3.00°	372	478	531	637	743	849	
MAP at D0.0 IAB/D1.3 ABC							

STRAIGHT-IN LANDING RWY 22						CIRCLE-TO-LAND		
Missed apch climb gradient mim 3.0%								
ILS				LOC (GS out)				
DA(H) A: 1352' (230') C: 1372' (250')				CDFA				
B: 1362' (240') D: 1382' (260')				DA/MDA(H) 1630' (508')				
FULL		TDZ or CL out	ALS out	ALS out		Max Kts	MDA(H)	VIS
A	RVR 550m	RVR 550m I	RVR 1200m	RVR 1500m		100	1750' (628')	1500m
B			RVR 1300m	RVR 1600m	RVR 2400m	135	2260' (1138')	1600m
C			RVR 1600m			180	2490' (1368')	2400m
D	RVR 750m		RVR 1600m			205	2490' (1368')	3600m

I RVR 750m when a Flight Director or Autopilot or HUD to DA is not used.

DNAA/ABV

NNAMDI AZIKIWE INTL

15 MAY 20
Eff 21 May

11-2A

1

C

A

T

I

I

V

OF

R

D

M

E

II

LS

F

Rw

VV

2

22



2

ABUJA, NIGERIA

15 MAY 20
NNAMDJ AZIKIWE INTL **Eff 21 May** (11-2A) CAT II VOR DME ILS Rwy 22

BRIEFING STRIP

ATIS 127.05		ABUJA Approach (R) 127.9 119.8		ABUJA Tower 118.6		*Ground 121.9			
LOC IAB 109.3	Final Apch Crs 217°	D6.4 IAB 3200' (2078')	CAT II ILS DA(H) Refer to Minimums	Apt Elev 1122' Rwy 1122'	5000 MSA ABC VOR				
MISSED APCH: Climb on track 217° to 2500', then turn RIGHT and join holding at 5000', or as directed.									
Alt Set: hPa		Rwy Elev: 40 hPa	Trans level: FL 65					Trans alt: 5000'	
Special Aircraft and Aircrew Certification Required.									



Gnd speed-Kts	70	90	100	120	140	160
GS 3.00°	372	478	531	637	743	849



HIALS-II
PAPI 2500 on 217°

Standard

STRAIGHT-IN LANDING RWY 22

STRAIGHT-IN LANDING RWY 22
CAT II ILS
Missed apch climb gradient min 3.0%

A	B	C	D
DA(H) 1222' (100')	DA(H) 1242' (120')	DA(H) 1252' (130')	DA(H) 1272' (150')
RVR 300m		RVR 400m	RVR 450m

CHANGES: New procedure.

© JEPPESEN, 2020. ALL RIGHTS RESERVED.

DNAA/ABV
NNAMDI AZIKIWE INTL

JEPPESEN

15 MAY 20

(12-2)



Eff 21 May

ABUJA, NIGERIA
RNAV (GNSS) Rwy 22

TM

BRIEFING STRIP

ATIS		ABUJA Approach (R)		ABUJA Tower		*Ground	
127.05		127.9 119.8		118.6		121.9	
RNAV	Final Apch Crs 217°	AA400 MANDATORY 3200' (2078')	DA/MDA(H) 1670' (548')	Apt Elev 1122'	Rwy 1122'	5000 MSA ARP	
MISSED APCH: Climb on track 217° to 2500', then turn RIGHT to AA412, then turn RIGHT on track 037° to AA410 before joining hold at OGBIS at 4000' via POKMO.							
Alt Set: hPa Rwy Elev: 40 hPa Trans level: FL 65 Trans alt: 5000' Minimum temperature -10°C.							




Gnd speed-Kts	70	90	100	120	140	160	HIALS-II PAPI PAPI 2500' on 217°
Descent Angle	3.00°	372	478	531	637	743	
MAP at RW22							

PANS OPS	STRAIGHT-IN LANDING RWY 22		CIRCLE-TO-LAND	
	LNAV CDFA DA/MDA(H) 1670' (548')			
	ALS out		Max Kts	MDA(H) VIS
	A RVR 1500m		100	1750' (628') 1500m
	B RVR 1500m		135	2260' (1138') 1600m
C	RVR 1800m	RVR 2400m	180	2490' (1368') 2400m
			205	2490' (1368') 3600m

DNAA/ABV
NNAMDI AZIKIWE INTL

JEPPESEN
 15 MAY 20 **(13-1)** **Eff 21 May**

ABUJA, NIGERIA
VOR DME Rwy 04



DNAA/ABV

NNAMDI AZIKIWE INTL

15 MAY 20
Eff 21 May



13-2

**MISSED APCH CLIMB
GRADIENT MIN 3.0%**

ABUJA, NIGERIA
VOR DME Rwy 22

BRIEFING STRIP™

ATIS 127.05		ABUJA Approach (R) 127.9 119.8		ABUJA Tower 118.6		*Ground 121.9	
VOR ABC 116.3	Final Apch Crs 217°	D5.1 ABC 3200' (2078')	DA/MDA(H) 1630' (508')	Apt Elev 1122' Rwy 1122'	 5000'		
MISSED APCH: Climb on track 217° to 2500', then turn RIGHT and join holding at 5000', or as directed.							
Alt Set: hPa		Rwy Elev: 40 hPa	Trans level: FL 65		Trans alt: 5000'		MSA ABC VOR



Gnd speed-Kts	70	90	100	120	140	160
Descent Angle 3.00°	372	478	531	637	743	849
MAP at VOR						



HIALS-II
PAPI

2500'

↑

on **217°**

Standard

STRAIGHT-IN LANDING RWY 22

Missed apch climb gradient min 3.0%

CDFA
DA/MDA(H) **1630'** (508')

ALS out

CIRCLE-TO-LAND

		ALS out	Max Kts.	MDA(H)	VIS
A	RVR 1500m		100	1750' (628')	1500m
B			135	2260' (1138')	1600m
C	RVR 1600m	RVR 2400m	180	2490' (1368')	2400m
D			205	2490' (1368')	3600m

PANS OPS

CHANGES: Circling minimums.

© JEPPESEN, 2006, 2020. ALL RIGHTS RESERVED.

Chart changes since cycle 21-2020

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
ABUJA, (NNAMDI AZIKIWE INTL - DNAA)				

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport DNAA